

LIFE AFTER FIFTY 635 McEwan Avenue Windsor, ON, N9B 2E9

**Position: Custodian** 

## **Status: Regular Part-time**

Reports to: Executive Director

#### **Position Summary**

The Custodian is responsible for ensuring the cleanliness and maintenance of the facility, inside and outside, including completing minor repairs and the identification of major repairs that could require a contractor.

#### Key Responsibilities:

- a) Regular cleaning/maintenance activities according to a pre-approved daily, weekly, monthly, quarterly schedule
- b) Ensure good repairs of facility on pre-approved weekly, monthly, quarterly and yearly maintenance schedule.
- c) Assist Programming staff with setup of rooms for special events, and supporting staff and volunteers on duty during working hours.
- d) Strip, clean, refinish and polish floors as determined by Director.
- e) Collect garbage and recycling on from all public areas and offices, and take to bin.
- f) Implement and maintain a recycling program for kitchen and office waste.
- g) Leave cleaning equipment and supplies in clean and organized manner, no standing water in janitorial buckets or sinks, or decomposable materials left in garbage containers.
- h) General outside maintenance, including snow removal and salting of walkways, grass cutting, raking leaves, removing refuse from yard, etc.

# **JOB DESCRIPTION – CUSTODIAN - EVENINGS**

- i) Light repair work as needed (change light fixtures, hang pictures, basic plumbing, wall repairs, etc).
- j) Notify staff regarding supplies, maintenance issues requiring outside contractors, etc. and organize delivery of supplies.
- k) Assist in maintenance of all storage areas.
- I) Adhere to agency health and safety policies and procedures and WHMIS requirements.

### Qualifications

- Ability to lift, reach, bend, push and pull as required by the position
- Ability to climb ladders and stand for long periods of time
- Demonstrated experience with building maintenance
- Ability to work independently
- Good interpersonal skills
- Police clearance is required